




SANDEN ELECTRONIC EQUIPMENT LIMITED



Model : SM-54

SLITTING MACHINE

條子開料機

Features :

- Roll slitters for various kinds of plastic foils.
- Slitting system: slitting blades.
- Adjustable slitting speed enabled by stepless motor controller.
- Equipped with friction systems for tension control-manual.

特色:

- * 專門分條各類塑膠軟料。
- * 可自由調整刀片的切割角度，使操作更具彈性。
- * 設有電子變速器，可隨意選擇分條速度。
- * 可人手調整拉料力度，適合不同膠料的需要。



Sanden Electronic Equipment Ltd.

9/F, BLOCK E, MAI TAK INDUSTRIAL BUILDING, 221 WAI YIP STREET,
KWUN TONG, KOWLOON, HONG KONG

TELEPHONES: (852)2345-1111 FAX: (852)2797-8047 TELEX: 52984 SANFM HX
EMAIL ADDRESS: info@sanden.com.hk WEB SITE: www.sanden.com.hk

新電電機有限公司
九龍官塘偉業街二二一號
吳德工業大廈下座九字樓

Features:

Slitting Machine – SM-54/SM-60

- Roll slitters for various kinds of plastic foils.
- Slitting system: slitting blades.
- Adjustable slitting speed enabled by stepless variable speed motor.
- Equipped with friction systems for tension control – manual.

Sheeting Machine – JS-1200

- Quantity to be cut, length and speed are numerically controlled.
- Both paper and plastics can be cut, feeding speed can be adjusted by 100 steps.
- Cutting length can range from 1mm to 99 meters.
- Clutch brake cutting mechanism is employed for strong cutting force & high speed.
- It is quiet and accurate.

Usage :

JS-1200 is suitable to be used in paper, electronics, packaging and plastics industries.



Sanden Electronic Equipment Ltd.

9/F, BLOCK E, MAI TAK INDUSTRIAL BUILDING, 221 WAI YIP STREET,
KWUN TONG, KOWLOON, HONG KONG

TELEPHONES: (852)2345-1111 FAX: (852)2797-8047 TELEX: 52984 SANFM HX
EMAIL ADDRESS: info@sanden.com.hk WEB SITE: www.sanden.com.hk

新電電機有限公司
九龍官塘偉業街二二一號
吳德工業大廈上座九字樓



Sanden Electronic Equipment Ltd.

9/F, BLOCK E, MAI TAK INDUSTRIAL BUILDING, 221 WAI YIP STREET,
KWUN TONG, KOWLOON, HONG KONG

TELEPHONES: (852)2345-1111 FAX: (852)2797-8047 TELEX: 52984 SANFM HX

EMAIL ADDRESS: info@sanden.com.hk WEB SITE: www.sanden.com.hk

新電電機有限公司
九龍官塘偉業街二二一號
吳德工業大廈下座九字樓

特色:

PVC 条子开料机—SM-54 / SM-60

- 专门分条各类塑料软料
- 可自由调教刀片的切割角度,使操作更具弹性
- 设有无断变速马达,可随意选择分条速度
- 可人手调教拉料力度,适合不同胶料的需要

PVC 切片开料机—JS-1200

- 长度,数量及送料速度之设定均采用计算机数值控制
- 适合各种材质之制造需要,其送料速度分 100 段变速
- 长度可设定从 1mm - 99999mm
- 切刀装置采用刹车离合器,力量大,速度快
- 低噪音,精准度高

用途:

JS-1200 适用于纸业,电子业,包装业,塑料业等相关材质之切断。



Sanden Electronic Equipment Ltd.

9/F, BLOCK E, MAI TAK INDUSTRIAL BUILDING, 221 WAI YIP STREET,
KWUN TONG, KOWLOON, HONG KONG

TELEPHONES: (852)2345-1111 FAX: (852)2797-8047 TELEX: 52984 SANFM HX

EMAIL ADDRESS: info@sanden.com.hk WEB SITE: www.sanden.com.hk

新電電機有限公司
九龍官塘偉業街二二一號
吳德工業大廈上座九字樓



Sanden Electronic Equipment Ltd.

9/F, BLOCK E, MAI TAK INDUSTRIAL BUILDING, 221 WAI YIP STREET,
KWUN TONG, KOWLOON, HONG KONG

TELEPHONES: (852)2345-1111 FAX: (852)2797-8047 TELEX: 52984 SANFM HX
EMAIL ADDRESS: info@sanden.com.hk WEB SITE: www.sanden.com.hk

新電電機有限公司
九龍官塘偉業街二二一號
吳德工業大廈下座九字樓

Specifications :

| Item\Model | SM-54 | SM-60 | JS-1200 | |
|-------------------------------------|---|--------------------|-----------------------------------|-----------------------------------|
| Material Width | up to 54" (1350mm) | up to 60" (1520mm) | 50-1200 mm (maximum) | |
| Maximum Material Diameter | 10" (250mm) | | 600mm -- standard model | 1000mm -- custom-made model |
| Maximum Material Width | - | | 300 kg -- Standard model | 600 kg -- custom-made model |
| Minimum Slitting Width | 0.5" (13mm) | | - | - |
| Internal Diameter of Rewinding Core | 1-5/8" -- 2-1/2" (41mm -- 62mm) | | 3" | |
| Material Thickness | 0.16mm -- 1.5mm | | 0.1mm -- 2mm | |
| Power Unit | * 3 H.P. (2.2KW) stepless variable speed motor system, 3Ø * Output Speed -- Max. 93rpm | | - | |
| Cutting Speed | - | - | 40 cuts per meter for steps motor | 60 cuts per meter for servo motor |
| Dimensions LxWxH (mm) | 2210x660x1100 | 2365x660x1100 | 2050x2100x1500 | |
| Net Weight | 320 kg | | 1300 kg | |
| Gross Weight | 390 kg | | 1600 kg | |
| Packing Measurement | 2.5 cbm | 2.9 cbm | 2180x2250x1800mm LxWxH | |

The above specifications are subject to change without prior notice.



Sanden Electronic Equipment Ltd.

9/F, BLOCK E, MAI TAK INDUSTRIAL BUILDING, 221 WAI YIP STREET,
KWUN TONG, KOWLOON, HONG KONG

TELEPHONES: (852)2345-1111 FAX: (852)2797-8047 TELEX: 52984 SANFM HX
EMAIL ADDRESS: info@sanden.com.hk WEB SITE: www.sanden.com.hk

新電電機有限公司
九龍官塘偉業街二二一號
吳德工業大廈上座九字樓



Sanden Electronic Equipment Ltd.

9/F, BLOCK E, MAI TAK INDUSTRIAL BUILDING, 221 WAI YIP STREET,
KWUN TONG, KOWLOON, HONG KONG

TELEPHONES: (852)2345-1111 FAX: (852)2797-8047 TELEX: 52984 SANFM HX

EMAIL ADDRESS: info@sanden.com.hk WEB SITE: www.sanden.com.hk

新電電機有限公司
九龍官塘偉業街二二一號
吳地工業大廈下座九字樓

规格表:

| 项目/机型 | SM-54 | SM-60 | JS-1200 | |
|-------------------------|---|--------------------|---|--------------------------------------|
| 胶料宽度 | up to 54" (1350mm) | up to 60" (1520mm) | 50-1200 mm (maximum) | |
| 最大胶料直径 | 10" (250mm) | | 600mm -- standard model | 1000mm -- custom-made model |
| 原料重量 | - | | 300 kg -- Standard model | 600 kg -- custom-made model |
| 最幼分条宽度 | 0.5" (13mm) | | - | - |
| 收料轴直径 | 1-5/8" -- 2-1/2" (41mm -- 62mm) | | 3" | |
| 胶料厚度 | 0.16mm -- 1.5mm | | 0.1mm -- 2mm | |
| 马达 | * 3 H.P. (2.2KW) stepless variable speed motor system, 3Ø * Output Speed -- Max. 93rpm | | - | |
| 裁切速度 | - | - | 40 cuts per meter for steps motor | 60 cuts per meter for servo motor |
| 机身尺寸 (长 x 宽 x 高(mm)) | 2210x660x1100 | 2365x660x1100 | 2050x2100x1500 | |
| 净重 | 320 kg | | 1300 kg | |
| 毛重 | 390 kg | | 1600 kg | |
| 装箱尺寸 | 2.5 cbm | 2.9 cbm | 2180x2250x1800mm LxWxH | |

以上规格，如有更改，恕不另行通知。



Sanden Electronic Equipment Ltd.

9/F, BLOCK E, MAI TAK INDUSTRIAL BUILDING, 221 WAI YIP STREET,
KWUN TONG, KOWLOON, HONG KONG

TELEPHONES: (852)2345-1111 FAX: (852)2797-8047 TELEX: 52984 SANFM HX

EMAIL ADDRESS: info@sanden.com.hk WEB SITE: www.sanden.com.hk

新電電機有限公司
九龍官塘偉業街二二一號
吳地工業大廈上座九字樓